





## TSC2 and smart phone connection

Samsung SM-G388F configuration:




*Go to phones settings and choose „Bluetooth“*


*In „Bluetooth“ settings, make these choices:*




*Go back to phone settings and choose „Tethering and Mobile HotSpot“:*




*In „Tethering and Mobile HotSpot“ make a choice as in the picture and later select „Mobile Hotspot“*




In the „Mobile Hotspot“ do the same as in the picture, later choose „Timeout settings“.




In the „Mobile Hotspot“ do the same as in the picture, later choose „Configure hotspot“. Under „Network SSID“ write any name and „security“ choose „Open“




*Og into „phone settings“ and choose „More networks“, later „Mobile networks“ and „Mobile data“ and „Data roaming“*



*We need now in TSC2 to setup wi-fi. Og to Start/Settings*




*Choose Connections/Bluetooth and enable Bluetooth.*






Go back and choose „Wireless manager“, later tap on the „Menu„ and choose „Wi-fi settings“





Select „Add new“




Make configuration like this:


„Network name“ must be the same as on the phone „Network SSID“



Now you can connect to your phone:



Your wi-fi is configured. Now go to Start and choose „Trimble access“



You will get the picture like below:



Go to „General survey“ and choose „Measure“





Enter RTK.







Select measure type.




Here you will need to create GNSS contacts. Select „NEW“




When you selected „New“, you will need to enter info. Here you enter only Name and Network connection. Name can be any name. And for network connection choose „Auto (wi-fi, modem, activeSync)“



On the second page choose:




On the third page, choose this:




„Store“

Later I go back to this page, choose your GNSS contact, that you created (in this case AndroidAP) and tap „Accept“:



When you will push the „accept“ button you will get the table of NtripCaster from IceCORS network:



Select the Mount point you want and you will see the progress bar of the connection .

